

## Filtration

### Sedimentation Tank Parts

Model No.	Description	Price
44E000216	Tightening Bracket	44.00
44E000240	Side Port Cover	46.00
44E000260	Side Port Cover	46.00
44E001340	Side Port Neoprene Cover Gasket	19.00
44E001361	Side Port Neoprene Cover Gasket	19.00
44E004365	Side Port Neoprene Cover Gasket	19.00
44E400260	Side Port Cover	51.00

### Sedimentation Tanks



Model No.	Description	Price
24ST002L	1/2" inlet Sedimentation tank	223.00
24ST005L	1" inlet Sedimentation tank	263.00
24ST010FLV2	3" vic inlet Sedimentation tank	350.00
24ST060F6	6" FL inlet Sedimentation tank	818.00
24ST120F6	6" FL inlet Sedimentation tank	1,102.00
24ST220F8	8" FL inlet Sedimentation tank	1,433.00

## Heavywall Dripperline

### 0.520" - 0.540" Inside Diameter PE (16mm) Fittings



Model No.	Description	Bag Qty
58ISV520	Inline Shut off valve	2.56
H520IC-B	Insert Coupling 16 mm	19.00
H520IMA075-B	Insert adapter 3/4" male	47.00
H520IT3-B	Insert Tee	82.00
H620FIG8-B	Figure 8 line end	21.00

### 0.570" - 0.600" Inside Diameter PE (17mm) Fittings



Model No.	Description	Bag Qty
58ISV600	Inline Shut-off valve	2.99
H540IAPE-B	Insert adapter for PE	52.50
H540IAPVC-B	Insert adapter for PVC with grommet	90.00
H540IC-B	Insert Coupling 17 mm	20.00
H540IMA075-B	Insert adapter 3/4" male	49.00
H540IT3-B	Insert Tee	87.00
H540ITFA075-B	Insert tee adapter 3/4" female	88.00
H620IC-B	Insert Coupling 18 mm	52.00
H800FIG8-B	Figure 8 line end	48.00

### 0.680" - 0.700" Inside Diameter PE (20mm) Fittings



Model No.	Description	Bag Qty
58ISV700	Inline shut-off valve	5.08
H680IC-B	Insert Coupling 20 mm	70.00
H680IMA075-B	Insert adapter 3/4" male	51.50
H680IRC540-B	Insert reducing coupling	74.00
H680IT3-B	Insert tee	107.00
H680ITFA075-B	Insert adapter 3/4" female	98.00
HPLUG	Plug	0.10

### 0.820" - 0.840" Inside Diameter PE Fittings



Model No.	Description	Bag Qty
H820IC-B	Coupling	101.00
H820ICR	Coupling with rings fits 35 ml	135.00
H820IRC680R	Insert adapter with ring fits 35 ml	99.00

## Heavywall Dripperline

### Accessories



Model No.	Description
10-F-01	Operation/Pressure Indicator Flag
H670780CLP	Smart Clip - Fits 0.670" (17mm) or 0.780" (18mm) Tube
H670780R	VineLine Clip - Fits 0.670" (17mm) or 0.780" (18mm) Tube
H790R	VineLine Clip - Fits 0.790" (20mm) Tube
TL050MFV-1	Automatic Flush Valve 1/2" male inlet
TLFV-1	Automatic Flush Valve with ring

### DripNet PC Pressure Compensating



Model No.	Description
08D54045X-24	DripNet PC 16 mm (any GPH) 24" spacing
08D54045X-30	DripNet PC 16 mm (any GPH) 30" spacing
08D54045X-36	DripNet PC 16 mm (any GPH) 36" spacing
08D54045X-42.25	DripNet PC 16 mm (any GPH) 42.25" spacing
08D54045X-48	DripNet PC 16 mm (any GPH) 48" spacing
08D57045X-24	DripNet PC 17 mm (any GPH) 24" spacing
08D57045X-30	DripNet PC 17 mm (any GPH) 30" spacing
08D57045X-36	DripNet PC 17 mm (any GPH) 36" spacing
08D57045X-42.25	DripNet PC 17 mm (any GPH) 42.25" spacing
08D57045X-48	DripNet PC 17 mm (any GPH) 48" spacing
08D62045X-24	DripNet PC 18 mm (any GPH) 24" spacing
08D62045X-30	DripNet PC 18 mm (any GPH) 30" spacing
08D62045X-36	DripNet PC 18 mm (any GPH) 36" spacing
08D62045X-42.25	DripNet PC 18 mm (any GPH) 42.25" spacing
08D62045X-48	DripNet PC 18 mm (any GPH) 48" spacing
08D69048X-24	DripNet PC 20 mm (any GPH) 24" spacing
08D69048X-30	DripNet PC 20 mm (any GPH) 30" spacing
08D69048X-36	DripNet PC 20 mm (any GPH) 36" spacing
08D69048X-42.25	DripNet PC 20 mm (any GPH) 42.25" spacing
08D69048X-48	DripNet PC 20 mm (any GPH) 48" spacing
08D82035X-24	DripNet PC 820 35 wall (any GPH) 24" spacing
08D82035X-30	DripNet PC 820 35 wall (any GPH) 30" spacing
08D82035X-36	DripNet PC 820 35 wall (any GPH) 36" spacing
08D82035X-42.25	DripNet PC 820 35 wall (any GPH) 42.25" spacing
08D82035X-48	DripNet PC 820 35 wall (any GPH) 48" spacing
08D82060X-24	DripNet PC 820 60 wall (any GPH) 24" spacing
08D82060X-30	DripNet PC 820 60 wall (any GPH) 30" spacing
08D82060X-36	DripNet PC 82060 wall (any GPH) 36" spacing
08D82060X-42.25	DripNet PC 820 60 wall (any GPH) 42.25" spacing
08D82060X-48	DripNet PC 820 60 wall (any GPH) 48" spacing
08VD54045X-24	DripNet PC 16 mm (any GPH) 24" spacing - VineLine
08VD54045X-30	DripNet PC 16 mm (any GPH) 30" spacing - VineLine
08VD54045X-36	DripNet PC 16 mm (any GPH) 36" spacing - VineLine
08VD54045X-42.25	DripNet PC 16 mm (any GPH) 42.25" spacing - VineLine
08VD54045X-48	DripNet PC 16 mm (any GPH) 48" spacing - VineLine
08VD57045X-24	DripNet PC 17 mm (any GPH) 24" spacing - VineLine
08VD57045X-30	DripNet PC 17 mm (any GPH) 30" spacing - VineLine
08VD57045X-36	DripNet PC 17 mm (any GPH) 36" spacing - VineLine
08VD57045X-42.25	DripNet PC 17 mm (any GPH) 42.25" spacing - VineLine
08VD57045X-48	DripNet PC 17 mm (any GPH) 48" spacing - VineLine
08VD62045X-24	DripNet PC 18 mm (any GPH) 24" spacing - VineLine
08VD62045X-30	DripNet PC 18 mm (any GPH) 30" spacing - VineLine
08VD62045X-36	DripNet PC 18 mm (any GPH) 36" spacing - VineLine
08VD62045X-42.25	DripNet PC 18 mm (any GPH) 42.25" spacing - VineLine
08VD62045X-48	DripNet PC 18 mm (any GPH) 48" spacing - VineLine
08VD69048X-24	DripNet PC 20 mm (any GPH) 24" spacing - VineLine
08VD69048X-30	DripNet PC 20 mm (any GPH) 30" spacing - VineLine
08VD69048X-36	DripNet PC 20 mm (any GPH) 36" spacing - VineLine
08VD69048X-42.25	DripNet PC 20 mm (any GPH) 42.25" spacing - VineLine
08VD69048X-48	DripNet PC 20 mm (any GPH) 48" spacing - VineLine



## Heavywall Dripperline

### Triton X Non-Pressure Compensating



Model No.	Description
X54035Y-24	Triton X 540 35 ml (any GPH) at 24" spacing
X54035Y-30	Triton X 540 35 ml (any GPH) at 30" spacing
X54035Y-36	Triton X 540 35 ml (any GPH) at 36" spacing
X54035Y-42.25	Triton X 540 35 ml (any GPH) at 42.25" spacing
X54035Y-48	Triton X 540 35 ml (any GPH) at 48" spacing
X54045Y-24	Triton X 540 45 ml (any GPH) at 24" spacing
X54045Y-30	Triton X 540 45 ml (any GPH) at 30" spacing
X54045Y-36	Triton X 540 45 ml (any GPH) at 36" spacing
X54045Y-42.25	Triton X 540 45 ml (any GPH) at 42.25" spacing
X54045Y-48	Triton X 540 45 ml (any GPH) at 48" spacing
X62035Y-24	Triton X 620 35 ml (any GPH) at 24" spacing
X62035Y-30	Triton X 620 35 ml (any GPH) at 30" spacing
X62035Y-36	Triton X 620 35 ml (any GPH) at 36" spacing
X62035Y-42.25	Triton X 620 35 ml (any GPH) at 42.25" spacing
X62035Y-48	Triton X 620 35 ml (any GPH) at 48" spacing
X62045Y-24	Triton X 620 45 ml (any GPH) at 24" spacing
X62045Y-30	Triton X 620 45 ml (any GPH) at 30" spacing
X62045Y-36	Triton X 620 45 ml (any GPH) at 36" spacing
X62045Y-42.25	Triton X 620 45 ml (any GPH) at 42.25" spacing
X62045Y-48	Triton X 620 45 ml (any GPH) at 48" spacing
X69035Y-24	Triton X 690 35 ml (any GPH) at 24" spacing
X69035Y-30	Triton X 690 35 ml (any GPH) at 30" spacing
X69035Y-36	Triton X 690 35 ml (any GPH) at 36" spacing
X69035Y-42.25	Triton X 690 35 ml (any GPH) at 42.25" spacing
X69035Y-48	Triton X 690 35 ml (any GPH) at 48" spacing
X69048Y-24	Triton X 690 48 ml (any GPH) at 24" spacing
X69048Y-30	Triton X 690 48 ml (any GPH) at 30" spacing
X69048Y-36	Triton X 690 48 ml (any GPH) at 36" spacing
X69048Y-42.25	Triton X 690 48 ml (any GPH) at 42.25" spacing
X69048Y-48	Triton X 690 48 ml (any GPH) at 48" spacing
X82060Y-24	Triton X 820 60 ml (any GPH) at 24" spacing
X82060Y-30	Triton X 820 60 ml (any GPH) at 30" spacing
X82060Y-36	Triton X 820 60 ml (any GPH) at 36" spacing
X82060Y-42.25	Triton X 820 60 ml (any GPH) at 42.25" spacing
X82060Y-48	Triton X 820 60 ml (any GPH) at 48" spacing
XV54045Y-24	Triton X 540 45 ml (any GPH) at 24" spacing with VineLine
XV54045Y-30	Triton X 540 45 ml (any GPH) at 30" spacing with VineLine
XV54045Y-36	Triton X 540 45 ml (any GPH) at 36" spacing with VineLine
XV54045Y-42.25	Triton X 540 45 ml (any GPH) at 42.25" spacing with VineLine
XV54045Y-48	Triton X 540 45 ml (any GPH) at 48" spacing with VineLine
XV62035Y-24	Triton X 620 35 ml (any GPH) at 24" spacing VineLine
XV62035Y-30	Triton X 620 35 ml (any GPH) at 30" spacing VineLine
XV62035Y-36	Triton X 620 35 ml (any GPH) at 36" spacing VineLine
XV62035Y-42.25	Triton X 620 35 ml (any GPH) at 42.25" spacing VineLine
XV62035Y-48	Triton X 620 35 ml (any GPH) at 48" spacing VineLine
XV62045Y-24	Triton X 620 45 ml (any GPH) at 24" spacing VineLine
XV62045Y-30	Triton X 620 45 ml (any GPH) at 30" spacing VineLine
XV62045Y-36	Triton X 620 45 ml (any GPH) at 36" spacing VineLine
XV62045Y-42.25	Triton X 620 45 ml (any GPH) at 42.25" spacing VineLine
XV62045Y-48	Triton X 620 45 ml (any GPH) at 48" spacing VineLine
XV69035Y-24	Triton X 690 35 ml (any GPH) at 24" spacing VineLine
XV69035Y-30	Triton X 690 35 ml (any GPH) at 30" spacing VineLine
XV69035Y-36	Triton X 690 35 ml (any GPH) at 36" spacing VineLine
XV69035Y-42.25	Triton X 690 35 ml (any GPH) at 42.25" spacing VineLine
XV69035Y-48	Triton X 690 35 ml (any GPH) at 48" spacing VineLine
XV69048Y-24	Triton X 690 48 ml (any GPH) at 24" spacing VineLine
XV69048Y-30	Triton X 690 48 ml (any GPH) at 30" spacing VineLine
XV69048Y-36	Triton X 690 48 ml (any GPH) at 36" spacing VineLine
XV69048Y-42.25	Triton X 690 48 ml (any GPH) at 42.25" spacing VineLine



## Heavywall Dripperline

### Triton X Non-Pressure Compensating

Model No.	Description
XV69048Y-48	Triton X 690 48 ml (any GPH) at 48" spacing VineLine

### UniRam Pressure Compensating

Model No.	Description
08UR16.X-24	UniRam 16 mm (any GPH) 24" spacing
08UR16.X-30	UniRam 16 mm (any GPH) 30" spacing
08UR16.X-36	UniRam 16 mm (any GPH) 36" spacing
08UR16.X-42.25	UniRam 16 mm (any GPH) 42.25" spacing
08UR16.X-48	UniRam 16 mm (any GPH) 48" spacing
08UR17.X-24	UniRam 17 mm (any GPH) 24" spacing
08UR17.X-30	UniRam 17 mm (any GPH) 30" spacing
08UR17.X-36	UniRam 17 mm (any GPH) 36" spacing
08UR17.X-42.25	UniRam 17 mm (any GPH) 42.25" spacing
08UR17.X-48	UniRam 17 mm (any GPH) 48" spacing
08UR18.X-24	UniRam 18 mm (any GPH) 24" spacing
08UR18.X-30	UniRam 18 mm (any GPH) 30" spacing
08UR18.X-36	UniRam 18 mm (any GPH) 36" spacing
08UR18.X-42.25	UniRam 18 mm (any GPH) 42.25" spacing
08UR18.X-48	UniRam 18 mm (any GPH) 48" spacing
08UR20.X-24	UniRam 20 mm (any GPH) 24" spacing
08UR20.X-30	UniRam 20 mm (any GPH) 30" spacing
08UR20.X-36	UniRam 20 mm (any GPH) 36" spacing
08UR20.X-42.25	UniRam 20 mm (any GPH) 42.25" spacing
08UR20.X-48	UniRam 20 mm (any GPH) 48" spacing
08UR82060.X-24	UniRam 820 (any GPH) 24" spacing
08UR82060.X-30	UniRam 820 (any GPH) 30" spacing
08UR82060.X-36	UniRam 820 (any GPH) 36" spacing
08UR82060.X-42.25	UniRam 820 (any GPH) 42.25" spacing
08UR82060.X-48	UniRam 820 (any GPH) 48" spacing
08VUR16.X-24	UniRam 16 mm (any GPH) 24" spacing - VineLine
08VUR16.X-30	UniRam 16 mm (any GPH) 30" spacing - VineLine
08VUR16.X-36	UniRam 16 mm (any GPH) 36" spacing - VineLine
08VUR16.X-42.25	UniRam 16 mm (any GPH) 42.25" spacing - VineLine
08VUR16.X-48	UniRam 16 mm (any GPH) 48" spacing - VineLine
08VUR17.X-24	UniRam 17 mm (any GPH) 24" spacing - VineLine
08VUR17.X-30	UniRam 17 mm (any GPH) 30" spacing - VineLine
08VUR17.X-36	UniRam 17 mm (any GPH) 36" spacing - VineLine
08VUR17.X-42.25	UniRam 17 mm (any GPH) 42.25" spacing - VineLine
08VUR17.X-48	UniRam 17 mm (any GPH) 48" spacing - VineLine
08VUR18.X-24	UniRam 18 mm (any GPH) 24" spacing - VineLine
08VUR18.X-30	UniRam 18 mm (any GPH) 30" spacing - VineLine
08VUR18.X-36	UniRam 18 mm (any GPH) 36" spacing - VineLine
08VUR18.X-42.25	UniRam 18 mm (any GPH) 42.25" spacing - VineLine
08VUR18.X-48	UniRam 18 mm (any GPH) 48" spacing - VineLine
08VUR20.X-24	UniRam 20 mm (any GPH) 24" spacing - VineLine
08VUR20.X-30	UniRam 20 mm (any GPH) 30" spacing - VineLine
08VUR20.X-36	UniRam 20 mm (any GPH) 36" spacing - VineLine
08VUR20.X-42.25	UniRam 20 mm (any GPH) 42.25" spacing - VineLine
08VUR20.X-48	UniRam 20 mm (any GPH) 48" spacing - VineLine

## On-line Drippers

### Accessories

Model No.	Description	Price
1107737-B	Dual goof plug	0.12
682901033	Plastic hole punch 3 mm	16.16



## Sprinklers

### SuperNet and SuperNet Jr. Components

Model No.	Description	Price
031735	Stream splitter	0.23
031736	SuperNet 13" blue stake	0.65
031739	Everspin bearing	0.42
031748	Barb x barb connector	0.17
031749	SuperNet U Shaped Adapter for Hanging Upright System	0.44
031933940705	PE Flex Micro-tubing (1640' coil)	113.77
03600	SuperNet Jr. 12" stake	0.51

### SuperNet Jr. (Non-Flow Regulated Micro-Sprinkler)



Model No.	Description	Price
032210280000E	Sprinkler Head Only - Brown	1.29
032210280301E	Brown Full Assembly, LR Swivel, 30" Tube and Stake	2.49
032210400000E	Sprinkler Head Only - Blue	1.29
032210400301E	Blue Full Assembly, LR Swivel, 30" Tube and Stake	2.49
032210580000E	Sprinkler Head Only - Gray	1.29
032210580301E	Gray Full Assembly, LR Swivel, 30" Tube and Stake	2.49
032210700000E	Sprinkler Head Only - Black	1.29
032210700301E	Black Full Assembly, LR Swivel, 30" Tube and Stake	2.49
032210900000E	Sprinkler Head Only - Orange	1.29
032210900301E	Prange Full Assembly, LR Swivel, 30" Tube and Stake	2.49

## Thinwall Dripperline

### 630 Series Fittings



Model No.	Description
LYFSTRCON16	Layflat Start Connector x TWD 630 Series
T630CB-B	Coupling 4 to 15 ml with blue rings
T630END-B	End Plug with ring
T630IA520R-B	PE Insert adapter with ring
T630MA075-B	3/4" Male adapter with rings
T630PE-B	Adapter for PE Submain
T630PVC-B	Adapter for PVC Submain with ring & grommet
T630RBLK-B	Black Ring fits 13 to 25 ml
T630RBLU-B	Blue Ring fits 6 to 15 ml
T630TFA075R-B	3/4" Female tee adapter with rings

### 875 Series Fittings



Model No.	Description
LYFSTARTCON22-B	Layflat Connector x TWD 875 Series
T875CB-B	Coupling 8 to 15 ml with blue rings
T875IA680-B	PE Insert adapter with ring

### 990 Series Fittings



Model No.	Description
T990C-B	Connector fits 13 to 15 mil
T990FLC-B	Coupling fits 13 to 15 mil
T990MA075-B	3/4" Male adapter
T990RBLU	Blue Ring fits 13 to 15 ml

## Thinwall Dripperline

### DripNet PC 636 Series Non Anti-Siphon



Model No.	Description
06D63625.X-12	DripNet PC 636 25 ml (any GPH) at 12" spacing Non Anti-Siphon
06D63625.X-14	DripNet PC 636 25 ml (any GPH) at 14" spacing Non Anti-Siphon
06D63625.X-16	DripNet PC 636 25 ml (any GPH) at 16" spacing Non Anti-Siphon
06D63625.X-18	DripNet PC 636 25 ml (any GPH) at 18" spacing Non Anti-Siphon
06D63625.X-20	DripNet PC 636 25 ml (any GPH) at 20" spacing with Anti-Siphon
06D63625.X-24	DripNet PC 636 25 ml (any GPH) at 24" spacing Non Anti-Siphon
06D63625.X-27	DripNet PC 636 25 ml (any GPH) at 27" spacing Non Anti-Siphon
06D63625.X-30	DripNet PC 636 25 ml (any GPH) at 30" spacing Non Anti-Siphon
06D63625.X-36	DripNet PC 636 25 ml (any GPH) at 36" spacing Non Anti-Siphon
06DF63613.X-12	DripNet PC 636 13 ml (any GPH) at 12" spacing Non Anti-Siphon
06DF63613.X-14	DripNet PC 636 13 ml (any GPH) at 14" spacing Non Anti-Siphon
06DF63613.X-16	DripNet PC 636 13 ml (any GPH) at 16" spacing Non Anti-Siphon
06DF63613.X-18	DripNet PC 636 13 ml (any GPH) at 18" spacing Non Anti-Siphon
06DF63613.X-24	DripNet PC 636 13 ml (any GPH) at 24" spacing Non Anti-Siphon
06DF63613.X-27	DripNet PC 636 13 ml (any GPH) at 27" spacing Non Anti-Siphon
06DF63613.X-30	DripNet PC 636 13 ml (any GPH) at 30" spacing Non Anti-Siphon
06DF63613.X-36	DripNet PC 636 13 ml (any GPH) at 36" spacing Non Anti-Siphon
06DF63615.X-12	DripNet PC 636 15 ml (any GPH) at 12" spacing Non Anti-Siphon
06DF63615.X-14	DripNet PC 636 15 ml (any GPH) at 14" spacing Non Anti-Siphon
06DF63615.X-16	DripNet PC 636 15 ml (any GPH) at 16" spacing Non Anti-Siphon
06DF63615.X-18	DripNet PC 636 15 ml (any GPH) at 18" spacing Non Anti-Siphon
06DF63615.X-24	DripNet PC 636 15 ml (any GPH) at 24" spacing Non Anti-Siphon
06DF63615.X-27	DripNet PC 636 15 ml (any GPH) at 27" spacing Non Anti-Siphon
06DF63615.X-30	DripNet PC 636 15 ml (any GPH) at 30" spacing Non Anti-Siphon
06DF63615.X-36	DripNet PC 636 15 ml (any GPH) at 36" spacing Non Anti-Siphon

### DripNet PC 636 Series With Anti-Siphon



Model No.	Description
06DA63625.X-12	DripNet PC 636 25 ml (any GPH) at 12" spacing with Anti-Siphon
06DA63625.X-14	DripNet PC 636 25 ml (any GPH) at 14" spacing with Anti-Siphon
06DA63625.X-16	DripNet PC 636 25 ml (any GPH) at 16" spacing with Anti-Siphon
06DA63625.X-18	DripNet PC 636 25 ml (any GPH) at 18" spacing with Anti-Siphon
06DA63625.X-20	DripNet PC 636 25 ml (any GPH) at 20" spacing with Anti-Siphon
06DA63625.X-24	DripNet PC 636 25 ml (any GPH) at 24" spacing with Anti-Siphon
06DA63625.X-27	DripNet PC 636 25 ml (any GPH) at 27" spacing with Anti-Siphon
06DA63625.X-30	DripNet PC 636 25 ml (any GPH) at 30" spacing with Anti-Siphon
06DA63625.X-36	DripNet PC 636 25 ml (any GPH) at 36" spacing with Anti-Siphon
06DFA63613.X-12	DripNet PC 636 13 ml (any GPH) at 12" spacing with Anti-Siphon
06DFA63613.X-14	DripNet PC 636 13 ml (any GPH) at 14" spacing with Anti-Siphon
06DFA63613.X-16	DripNet PC 636 13 ml (any GPH) at 16" spacing with Anti-Siphon
06DFA63613.X-18	DripNet PC 636 13 ml (any GPH) at 18" spacing with Anti-Siphon
06DFA63613.X-24	DripNet PC 636 13 ml (any GPH) at 24" spacing with Anti-Siphon
06DFA63613.X-27	DripNet PC 636 13 ml (any GPH) at 27" spacing with Anti-Siphon
06DFA63613.X-30	DripNet PC 636 13 ml (any GPH) at 30" spacing with Anti-Siphon
06DFA63613.X-36	DripNet PC 636 13 ml (any GPH) at 36" spacing with Anti-Siphon
06DFA63615.X-12	DripNet PC 636 15 ml (any GPH) at 12" spacing with Anti-Siphon
06DFA63615.X-14	DripNet PC 636 15 ml (any GPH) at 14" spacing with Anti-Siphon
06DFA63615.X-16	DripNet PC 636 15 ml (any GPH) at 16" spacing with Anti-Siphon
06DFA63615.X-18	DripNet PC 636 15 ml (any GPH) at 18" spacing with Anti-Siphon
06DFA63615.X-24	DripNet PC 636 15 ml (any GPH) at 24" spacing with Anti-Siphon
06DFA63615.X-27	DripNet PC 636 15 ml (any GPH) at 27" spacing with Anti-Siphon
06DFA63615.X-30	DripNet PC 636 15 ml (any GPH) at 30" spacing with Anti-Siphon
06DFA63615.X-36	DripNet PC 636 15 ml (any GPH) at 36" spacing with Anti-Siphon



## Thinwall Dripperline

### DripNet PC 875 Series Non Anti-Siphon



Model No.	Description
06D87525.X-12	DripNet PC 875 25 ml (any GPH) at 12" spacing Non Anti-Siphon
06D87525.X-14	DripNet PC 875 25 ml (any GPH) at 14" spacing Non Anti-Siphon
06D87525.X-16	DripNet PC 875 25 ml (any GPH) at 16" spacing Non Anti-Siphon
06D87525.X-18	DripNet PC 875 25 ml (any GPH) at 18" spacing Non Anti-Siphon
06D87525.X-20	DripNet PC 875 25 ml (any GPH) at 20" spacing Non Anti-Siphon
06D87525.X-24	DripNet PC 875 25 ml (any GPH) at 24" spacing Non Anti-Siphon
06D87525.X-27	DripNet PC 875 25 ml (any GPH) at 27" spacing Non Anti-Siphon
06D87525.X-30	DripNet PC 875 25 ml (any GPH) at 30" spacing Non Anti-Siphon
06D87525.X-36	DripNet PC 875 25 ml (any GPH) at 36" spacing Non Anti-Siphon
06DF87513.X-12	DripNet PC 875 13 ml (any GPH) at 12" spacing Non Anti-Siphon
06DF87513.X-14	DripNet PC 875 13 ml (any GPH) at 14" spacing Non Anti-Siphon
06DF87513.X-16	DripNet PC 875 13 ml (any GPH) at 16" spacing Non Anti-Siphon
06DF87513.X-18	DripNet PC 875 13 ml (any GPH) at 18" spacing Non Anti-Siphon
06DF87513.X-24	DripNet PC 875 13 ml (any GPH) at 24" spacing Non Anti-Siphon
06DF87513.X-27	DripNet PC 875 13 ml (any GPH) at 27" spacing Non Anti-Siphon
06DF87513.X-30	DripNet PC 875 13 ml (any GPH) at 30" spacing Non Anti-Siphon
06DF87513.X-36	DripNet PC 875 13 ml (any GPH) at 36" spacing Non Anti-Siphon
06DF87515.X-12	DripNet PC 875 15 ml (any GPH) at 12" spacing Non Anti-Siphon
06DF87515.X-14	DripNet PC 875 15 ml (any GPH) at 14" spacing Non Anti-Siphon
06DF87515.X-16	DripNet PC 875 15 ml (any GPH) at 16" spacing Non Anti-Siphon
06DF87515.X-18	DripNet PC 875 15 ml (any GPH) at 18" spacing Non Anti-Siphon
06DF87515.X-24	DripNet PC 875 15 ml (any GPH) at 24" spacing Non Anti-Siphon
06DF87515.X-27	DripNet PC 875 15 ml (any GPH) at 27" spacing Non Anti-Siphon
06DF87515.X-30	DripNet PC 875 15 ml (any GPH) at 30" spacing Non Anti-Siphon
06DF87515.X-36	DripNet PC 875 15 ml (any GPH) at 36" spacing Non Anti-Siphon

### DripNet PC 875 Series With Anti-Siphon



Model No.	Description
06DA87525.X-12	DripNet PC 875 25 ml (any GPH) at 12" spacing with Anti-Siphon
06DA87525.X-14	DripNet PC 875 25 ml (any GPH) at 14" spacing with Anti-Siphon
06DA87525.X-16	DripNet PC 875 25 ml (any GPH) at 16" spacing with Anti-Siphon
06DA87525.X-18	DripNet PC 875 25 ml (any GPH) at 18" spacing with Anti-Siphon
06DA87525.X-20	DripNet PC 875 25 ml (any GPH) at 20" spacing with Anti-Siphon
06DA87525.X-24	DripNet PC 875 25 ml (any GPH) at 24" spacing with Anti-Siphon
06DA87525.X-27	DripNet PC 875 25 ml (any GPH) at 27" spacing with Anti-Siphon
06DA87525.X-30	DripNet PC 875 25 ml (any GPH) at 30" spacing with Anti-Siphon
06DA87525.X-36	DripNet PC 875 25 ml (any GPH) at 36" spacing with Anti-Siphon
06DFA87513.X-12	DripNet PC 875 13 ml (any GPH) at 12" spacing with Anti-Siphon
06DFA87513.X-14	DripNet PC 875 13 ml (any GPH) at 14" spacing with Anti-Siphon
06DFA87513.X-16	DripNet PC 875 13 ml (any GPH) at 16" spacing with Anti-Siphon
06DFA87513.X-18	DripNet PC 875 13 ml (any GPH) at 18" spacing with Anti-Siphon
06DFA87513.X-24	DripNet PC 875 13 ml (any GPH) at 24" spacing with Anti-Siphon
06DFA87513.X-27	DripNet PC 875 13 ml (any GPH) at 27" spacing with Anti-Siphon
06DFA87513.X-30	DripNet PC 875 13 ml (any GPH) at 30" spacing with Anti-Siphon
06DFA87513.X-36	DripNet PC 875 13 ml (any GPH) at 36" spacing with Anti-Siphon
06DFA87515.X-12	DripNet PC 875 15 ml (any GPH) at 12" spacing with Anti-Siphon
06DFA87515.X-14	DripNet PC 875 15 ml (any GPH) at 14" spacing with Anti-Siphon
06DFA87515.X-16	DripNet PC 875 15 ml (any GPH) at 16" spacing with Anti-Siphon
06DFA87515.X-18	DripNet PC 875 15 ml (any GPH) at 18" spacing with Anti-Siphon
06DFA87515.X-24	DripNet PC 875 15 ml (any GPH) at 24" spacing with Anti-Siphon
06DFA87515.X-27	DripNet PC 875 15 ml (any GPH) at 27" spacing with Anti-Siphon
06DFA87515.X-30	DripNet PC 875 15 ml (any GPH) at 30" spacing with Anti-Siphon
06DFA87515.X-36	DripNet PC 875 15 ml (any GPH) at 36" spacing with Anti-Siphon



## Thinwall Dripperline

### DripNet PC 990 Series Non Anti-Siphon



Model No.	Description
06DF99015.X-12	DripNet PC 990 15 ml (any GPH) at 12" spacing Non Anti-Siphon
06DF99015.X-14	DripNet PC 990 15 ml (any GPH) at 14" spacing Non Anti-Siphon
06DF99015.X-16	DripNet PC 990 15 ml (any GPH) at 16" spacing Non Anti-Siphon
06DF99015.X-18	DripNet PC 990 15 ml (any GPH) at 18" spacing Non Anti-Siphon
06DF99015.X-20	DripNet PC 990 15 ml (any GPH) at 20" spacing Non Anti-Siphon
06DF99015.X-24	DripNet PC 990 15 ml (any GPH) at 24" spacing Non Anti-Siphon
06DF99015.X-27	DripNet PC 990 15 ml (any GPH) at 27" spacing Non Anti-Siphon
06DF99015.X-30	DripNet PC 990 15 ml (any GPH) at 30" spacing Non Anti-Siphon
06DF99015.X-36	DripNet PC 990 15 ml (any GPH) at 36" spacing Non Anti-Siphon

### DripNet PC 990 Series With Anti-Siphon



Model No.	Description
06DFA99015.X-12	DripNet PC 990 15 ml (any GPH) at 12" spacing with Anti-Siphon
06DFA99015.X-14	DripNet PC 990 15 ml (any GPH) at 14" spacing with Anti-Siphon
06DFA99015.X-16	DripNet PC 990 15 ml (any GPH) at 16" spacing with Anti-Siphon
06DFA99015.X-18	DripNet PC 990 15 ml (any GPH) at 18" spacing with Anti-Siphon
06DFA99015.X-20	DripNet PC 990 15 ml (any GPH) at 20" spacing with Anti-Siphon
06DFA99015.X-24	DripNet PC 990 15 ml (any GPH) at 24" spacing with Anti-Siphon
06DFA99015.X-27	DripNet PC 990 15 ml (any GPH) at 27" spacing with Anti-Siphon
06DFA99015.X-30	DripNet PC 990 15 ml (any GPH) at 30" spacing with Anti-Siphon
06DFA99015.X-36	DripNet PC 990 15 ml (any GPH) at 36" spacing with Anti-Siphon

### Miscellaneous Fittings



Model No.	Description
H520IAPVC-B	Insert adapter to PVC with grommet
H680IAPVC-B	Insert adapter to PVC with grommet
H820IAPVC-B	Insert adapter to PVC with grommet
HGROMM680-B	Grommet 680
HGROMM820	Grommet 820
LYFSTRTRCON75	Layflat Start Connector x 3/4" Thread
PXFREPSTRTRCON-B	Layflat Repair Start Connector

### Streamline 630 Series



Model No.	Description
06SLF10636.X-08	Streamline 636 10 ml (any GPH) at 8" spacing
06SLF10636.X-09	Streamline 636 10 ml (any GPH) at 9" spacing
06SLF10636.X-10	Streamline 636 10 ml (any GPH) at 10" spacing
06SLF10636.X-12	Streamline 636 10 ml (any GPH) at 12" spacing
06SLF10636.X-14	Streamline 636 10 ml (any GPH) at 14" spacing
06SLF10636.X-16	Streamline 636 10 ml (any GPH) at 16" spacing
06SLF10636.X-18	Streamline 636 10 ml (any GPH) at 18" spacing
06SLF10636.X-24	Streamline 636 10 ml (any GPH) at 24" spacing
06SLF13636.X-08	Streamline 636 13 ml (any GPH) at 8" spacing
06SLF13636.X-10	Streamline 636 13 ml (any GPH) at 10" spacing
06SLF13636.X-12	Streamline 636 13 ml (any GPH) at 12" spacing
06SLF13636.X-14	Streamline 636 13 ml (any GPH) at 14" spacing
06SLF13636.X-16	Streamline 636 13 ml (any GPH) at 16" spacing
06SLF13636.X-18	Streamline 636 13 ml (any GPH) at 18" spacing
06SLF13636.X-20	Streamline 636 13 ml (any GPH) at 20" spacing
06SLF13636.X-24	Streamline 636 13 ml (any GPH) at 24" spacing
06SLF13636.X-27	Streamline 636 13 ml (any GPH) at 27" spacing
06SLF15636.X-08	Streamline 636 15 ml (any GPH) at 8" spacing
06SLF15636.X-12	Streamline 636 15 ml (any GPH) at 12" spacing
06SLF15636.X-14	Streamline 636 15 ml (any GPH) at 14" spacing
06SLF15636.X-16	Streamline 636 15 ml (any GPH) at 16" spacing
06SLF15636.X-18	Streamline 636 15 ml (any GPH) at 18" spacing
06SLF15636.X-20	Streamline 636 15 ml (any GPH) at 20" spacing
06SLF15636.X-24	Streamline 636 15 ml (any GPH) at 24" spacing
06SLF15636.X-27	Streamline 636 15 ml (any GPH) at 27" spacing
06SLF4638.X-08	Streamline 638 4 ml (any GPH) at 8" spacing



## Thinwall Dripperline

### Streamline 630 Series

Model No.	Description
06SLF4638.X-10	Streamline 638 4 ml (any GPH) at 10" spacing
06SLF4638.X-12	Streamline 638 4 ml (any GPH) at 12" spacing
06SLF4638.X-14	Streamline 638 4 ml (any GPH) at 14" spacing
06SLF4638.X-16	Streamline 638 4 ml (any GPH) at 16" spacing
06SLF4638.X-18	Streamline 638 4 ml (any GPH) at 18" spacing
06SLF4638.X-24	Streamline 638 4 ml (any GPH) at 24" spacing
06SLF6638.X-08	Streamline 638 6 ml (any GPH) at 8" spacing
06SLF6638.X-09	Streamline 638 6 ml (any GPH) at 9" spacing
06SLF6638.X-10	Streamline 638 6 ml (any GPH) at 10" spacing
06SLF6638.X-12	Streamline 638 6 ml (any GPH) at 12" spacing
06SLF6638.X-14	Streamline 638 6 ml (any GPH) at 14" spacing
06SLF6638.X-16	Streamline 638 6ml (any GPH) at 16" spacing
06SLF6638.X-18	Streamline 638 6 ml (any GPH) at 18" spacing
06SLF6638.X-24	Streamline 638 6 ml (any GPH) at 24" spacing
06SLF8636.X-08	Streamline 636 8 ml (any GPH) at 8" spacing
06SLF8636.X-09	Streamline 636 8 ml (any GPH) at 9" spacing
06SLF8636.X-10	Streamline 636 8 ml (any GPH) at 10" spacing
06SLF8636.X-12	Streamline 636 8 ml (any GPH) at 12" spacing
06SLF8636.X-14	Streamline 636 8 ml (any GPH) at 14" spacing
06SLF8636.X-16	Streamline 636 8 ml (any GPH) at 16" spacing
06SLF8636.X-18	Streamline 636 8 ml (any GPH) at 18" spacing
06SLF8636.X-24	Streamline 636 8 ml (any GPH) at 24" spacing

### Streamline 875 Series



Model No.	Description
06PYF10.XSL-08	Streamline 875 10 ml (any GPH) at 8" spacing
06PYF10.XSL-10	Streamline 875 10 ml (any GPH) at 10" spacing
06PYF10.XSL-12	Streamline 875 10 ml (any GPH) at 12" spacing
06PYF10.XSL-14	Streamline 875 10 ml (any GPH) at 14" spacing
06PYF10.XSL-16	Streamline 875 10 ml (any GPH) at 16" spacing
06PYF10.XSL-18	Streamline 875 10 ml (any GPH) at 18" spacing
06PYF13.XSL-08	Streamline 875 13 mil (any GPH) at 8" spacing
06PYF13.XSL-12	Streamline 875 13 mil (any GPH) at 12" spacing
06PYF13.XSL-14	Streamline 875 13 mil (any GPH) at 14" spacing
06PYF13.XSL-16	Streamline 875 13 mil (any GPH) at 16" spacing
06PYF13.XSL-18	Streamline 875 13 mil (any GPH) at 18" spacing
06PYF13.XSL-20	Streamline 875 13 mil (any GPH) at 20" spacing
06PYF13.XSL-24	Streamline 875 13 mil (any GPH) at 24" spacing
06PYF13.XSL-27	Streamline 875 13 mil (any GPH) at 27" spacing
06PYF15.XSL-08	Streamline 875 15 mil (any GPH) at 8" spacing
06PYF15.XSL-12	Streamline 875 15 mil (any GPH) at 12" spacing
06PYF15.XSL-14	Streamline 875 15 mil (any GPH) at 14" spacing
06PYF15.XSL-16	Streamline 875 15 mil (any GPH) at 16" spacing
06PYF15.XSL-18	Streamline 875 15 mil (any GPH) at 18" spacing
06PYF15.XSL-20	Streamline 875 15 mil (any GPH) at 20" spacing
06PYF15.XSL-24	Streamline 875 15 mil (any GPH) at 24" spacing
06PYF15.XSL-27	Streamline 875 15 mil (any GPH) at 27" spacing
06PYF6.XSL-08	Streamline 875 6 ml (any GPH) at 8" spacing
06PYF6.XSL-10	Streamline 875 6 ml (any GPH) at 10" spacing
06PYF6.XSL-12	Streamline 875 6 ml (any GPH) at 12" spacing
06PYF6.XSL-14	Streamline 875 6 ml (any GPH) at 14" spacing
06PYF6.XSL-16	Streamline 875 6 ml (any GPH) at 16" spacing
06PYF6.XSL-18	Streamline 875 6 ml (any GPH) at 18" spacing
06PYF8.XSL-08	Streamline 875 8 ml (any GPH) at 8" spacing
06PYF8.XSL-10	Streamline 875 8 ml (any GPH) at 10" spacing
06PYF8.XSL-12	Streamline 875 8 ml (any GPH) at 12" spacing
06PYF8.XSL-14	Streamline 875 8 ml (any GPH) at 14" spacing
06PYF8.XSL-16	Streamline 875 8 ml (any GPH) at 16" spacing
06PYF8.XSL-18	Streamline 875 8 ml (any GPH) at 18" spacing



## Thinwall Dripperline

### Tools, Punches and Cutters



Model No.	Description
HHP11	C-Clamp Plastic (small) 0.43"/11mm
LPPNXFCUTTER	17mm Half Moon Cutter for LayFlat Start Connector
LPPNXFCUTTER20N	20mm Half Moon Cutter for PolyNet Start Connector
LPPNXFHEXTOOL16	3/8" Hex Driver for 16mm Layflat Start Connector
LPPNXFHEXTOOL22	1/2" Hex Driver for all PolyNet & 22mm Layflat Start Conn.
LPPNXFTGHTTOOLN	Tightening Tool Assist for PolyNet Start Connector
LPPNXFTGHTTOOL	Tightening Tool Assist for Layflat Start Connector
TDBIT16.5	16.6mm Forstner Drill Bit

### Twist-Lock Fittings

#### Couplers



Model No.	Description
T63036100170-B	630 Series TWD x 630 Series TWD Coupling - Bag 100
T63036651617-B	630 Series TWD x 16mm PE - Bag 100
T63036651817-B	630 Series TWD x 18mm PE - Bag 100
T63036652017	630 Series TWD x 20mm PE - Bag 900
T87536100220-B	875 Series TWD x 875 Series TWD Coupling - Bag 50
T87536651822-B	875 Series TWD x 18mm PE - Bag 100
T87536652022-B	875 Series TWD x 20mm PE - Bag 100

#### Elbows



Model No.	Description
T63038100170-B	630 Series TWD x 630 Series TWD Elbow - Bag 100
T87538100220-B	875 Series TWD x 875 Series TWD Elbow - Bag 50

#### LayFlat Adapters



Model No.	Description
T63036500170-B	630 Series TWD x LayFlat Adapter - Bag 100
T87536500220-B	875 Series TWD x LayFlat Adapter - Bag 100

#### Line Ends



Model No.	Description
T63036600170-B	630 Series TWD End Plug - Bag 100
T87536600220-B	875 Series TWD End Plug - Bag 100

#### Male Adapters



Model No.	Description
T6303620017C-B	1/2" MIPT Male Adapter x 630 Series TWD - Bag 100
T6303620017D-B	3/4" MIPT Male Adapter x 630 Series TWD - Bag 100
T8753620022D-B	3/4" MIPT Male Adapter x 630 Series TWD - Bag 100



## Thinwall Dripperline

### Twist-Lock Fittings

#### Start Connectors



Model No.	Description
H52034260160-B	16mm PE X PVC Connector with Grommet - Bag 100
H57034260180-B	18mm PE X PVC Connector with Grommet - Bag 100
H68034260200-B	20mm PE X PVC Connector with Grommet - Bag 100
T63036450170-B	630 Series TWD x PVC Connector w/Grommet - Bag 100
T87536370220-B	875 Series TWD x 0.400" Barb - Bag 100
T87536450220-B	875 Series TWD x PVC Connector w/Grommet - Bag 100

#### Start Connectors with Valve



Model No.	Description
T63042440170-B25	0.400" Barb with Valve X 630 Series TWD - Bag 25
T8754225022D	875 Series TWD x 3/4" FIPT with Valve - Bag 500

#### Tee Adapters



Model No.	Description
T6303720017C-B	630 Series TWD x 1/2" MIPT Tee - Bag 50
T6303720017D-B	630 Series TWD x 3/4" MIPT Tee - Bag 50
T8753720022D	875 Series TWD x 3/4" MIPT Tee - Bag 400

#### Tees



Model No.	Description
T63037100170-B	630 Series TWD Tee - Bag 50
T87537100220-B	875 Series TWD Tee - Bag 50

### Typhoon 1 3/8 Series



Model No.	Description
06TF13815.X-12	Typhoon 1 3/8" 15 ml (any GPH) at 12" spacing
06TF13815.X-14	Typhoon 1 3/8" 15 ml (any GPH) at 14" spacing
06TF13815.X-24	Typhoon 1 3/8" 15 ml (any GPH) at 24" spacing

### Typhoon 630 Series



Model No.	Description
06TSF10636.X-12	Typhoon 636 10 ml (any GPH) at 12" spacing
06TSF10636.X-14	Typhoon 636 10 ml (any GPH) at 14" spacing
06TSF10636.X-16	Typhoon 636 10 ml (any GPH) at 16" spacing
06TSF10636.X-18	Typhoon 636 10 ml (any GPH) at 18" spacing
06TSF10636.X-24	Typhoon 636 10 ml (any GPH) at 24" spacing
06TSF10636.X-36	Typhoon 636 10 ml (any GPH) at 36" spacing
06TSF13636.X-12	Typhoon 636 13 ml (any GPH) at 12" spacing
06TSF13636.X-14	Typhoon 636 13 ml (any GPH) at 14" spacing
06TSF13636.X-16	Typhoon 636 13 ml (any GPH) at 16" spacing
06TSF13636.X-18	Typhoon 636 13 ml (any GPH) at 18" spacing
06TSF13636.X-20	Typhoon 636 13 ml (any GPH) at 20" spacing
06TSF13636.X-24	Typhoon 636 13 ml (any GPH) at 24" spacing
06TSF13636.X-27	Typhoon 636 13 ml (any GPH) at 27" spacing
06TSF13636.X-30	Typhoon 636 13 ml (any GPH) at 30" spacing
06TSF13636.X-36	Typhoon 636 13 ml (any GPH) at 36" spacing
06TSF15636.X-12	Typhoon 636 15 ml (any GPH) at 12" spacing



## Thinwall Dripperline

### Typhoon 630 Series

Model No.	Description
06TSF15636.X-14	Typhoon 636 15 ml (any GPH) at 14" spacing
06TSF15636.X-16	Typhoon 636 15 ml (any GPH) at 16" spacing
06TSF15636.X-18	Typhoon 636 15 ml (any GPH) at 18" spacing
06TSF15636.X-20	Typhoon 636 15 ml (any GPH) at 20" spacing
06TSF15636.X-24	Typhoon 636 15 ml (any GPH) at 24" spacing
06TSF15636.X-27	Typhoon 636 15 ml (any GPH) at 27" spacing
06TSF15636.X-30	Typhoon 636 15 ml (any GPH) at 30" spacing
06TSF8636.X-12	Typhoon 636 8 ml (any GPH) at 12" spacing
06TSF8636.X-14	Typhoon 636 8 ml (any GPH) at 14" spacing
06TSF8636.X-16	Typhoon 636 8 ml (any GPH) at 16" spacing
06TSF8636.X-18	Typhoon 636 8 ml (any GPH) at 18" spacing
06TSF8636.X-24	Typhoon 636 8 ml (any GPH) at 24" spacing

### Typhoon 875 Series



Model No.	Description
06PYF10.X-08	Typhoon 875 10 ml (any GPH) at 8" spacing
06PYF10.X-10	Typhoon 875 10 ml (any GPH) at 10" spacing
06PYF10.X-12	Typhoon 875 10 ml (any GPH) at 12" spacing
06PYF10.X-14	Typhoon 875 10 ml (any GPH) at 14" spacing
06PYF10.X-16	Typhoon 875 10 ml (any GPH) at 16" spacing
06PYF10.X-18	Typhoon 875 10 ml (any GPH) at 18" spacing
06PYF10.X-20	Typhoon 875 10 ml (any GPH) at 20" spacing
06PYF10.X-24	Typhoon 875 10 ml (any GPH) at 24" spacing
06PYF10.X-27	Typhoon 875 10 ml (any GPH) at 27" spacing
06PYF13.X-08	Typhoon 875 13 ml (any GPH) at 8" spacing
06PYF13.X-12	Typhoon 875 13 ml (any GPH) at 12" spacing
06PYF13.X-14	Typhoon 875 13 ml (any GPH) at 14" spacing
06PYF13.X-18	Typhoon 875 13 ml (any GPH) at 18" spacing
06PYF13.X-20	Typhoon 875 13 ml (any GPH) at 20" spacing
06PYF13.X-24	Typhoon 875 13 ml (any GPH) at 24" spacing
06PYF13.X-27	Typhoon 875 13 ml (any GPH) at 27" spacing
06PYF13.X-30	Typhoon 875 13 ml (any GPH) at 30" spacing
06PYF15.X-08	Typhoon 875 15 ml (any GPH) at 8" spacing
06PYF15.X-12	Typhoon 875 15 ml (any GPH) at 12" spacing
06PYF15.X-14	Typhoon 875 15 ml (any GPH) at 14" spacing
06PYF15.X-16	Typhoon 875 15 ml (any GPH) at 16" spacing
06PYF15.X-18	Typhoon 875 15 ml (any GPH) at 18" spacing
06PYF15.X-20	Typhoon 875 15 ml (any GPH) at 20" spacing
06PYF15.X-24	Typhoon 875 15 ml (any GPH) at 24" spacing
06PYF15.X-27	Typhoon 875 15 ml (any GPH) at 27" spacing
06PYF8.X-08	Typhoon 875 8 ml (any GPH) at 8" spacing
06PYF8.X-10	Typhoon 875 8 ml (any GPH) at 10" spacing
06PYF8.X-12	Typhoon 875 8 ml (any GPH) at 12" spacing
06PYF8.X-14	Typhoon 875 8 ml (any GPH) at 14" spacing
06PYF8.X-16	Typhoon 875 8 ml (any GPH) at 16" spacing
06PYF8.X-18	Typhoon 875 8 ml (any GPH) at 18" spacing

### Typhoon 990 Series



Model No.	Description
06T990F13.X-12	Typhoon 990 13 ml (any GPH) at 12" spacing
06T990F13.X-14	Typhoon 990 13 ml (any GPH) at 14" spacing
06T990F13.X-16	Typhoon 990 13 ml (any GPH) at 16" spacing
06T990F13.X-18	Typhoon 990 13 ml (any GPH) at 18" spacing
06T990F13.X-20	Typhoon 990 13 ml (any GPH) at 20" spacing
06T990F13.X-24	Typhoon 990 13 ml (any GPH) at 24" spacing
06T990F13.X-27	Typhoon 990 13 ml (any GPH) at 27" spacing
06T990F13.X-30	Typhoon 990 13 ml (any GPH) at 30" spacing
06T990F15.X-08	Typhoon 990 15 ml (any GPH) at 8" spacing
06T990F15.X-12	Typhoon 990 15 ml (any GPH) at 12" spacing



## Thinwall Dripperline

### Typhoon 990 Series

Model No.	Description
06T990F15.X-14	Typhoon 990 15 ml (any GPH) at 14" spacing
06T990F15.X-16	Typhoon 990 15 ml (any GPH) at 16" spacing
06T990F15.X-18	Typhoon 990 15 ml (any GPH) at 18" spacing
06T990F15.X-20	Typhoon 990 15 ml (any GPH) at 20" spacing
06T990F15.X-24	Typhoon 990 15 ml (any GPH) at 24" spacing
06T990F15.X-27	Typhoon 990 15 ml (any GPH) at 27" spacing

## Valves

### Accessories



Model No.	Description	Price
15CONT-6	Control tubing 6 mm 1000' coil	87.00
15CONT6C10	Control tubing 6 mm 10' coil	0.90
15CONT6C100	Control tubing 6 mm 100' coil	8.70
15CONT6C50	Control tubing 6 mm 50' coil	4.40
15CONT-8	Control tubing 8 mm 1000' coil	133.00
15CONT8C10	Control tubing 8 mm 10' coil	1.50
15CONT8C100	Control tubing 8 mm 100' coil	15.00
15CONT8C50	Control tubing 8 mm 50' coil	6.80
61ACG	Shrader valve adapter	41.00
61APS1/8	Shrader valve	4.10
61CV25	Brass Check Valve 1/4"	34.00
61CV50	Brass Check Valve 1/2"	21.00
61NV1/4	Needle valve	54.00
61NVSS25E	Stainless steel needle valve	196.00
61SF25B	Brass finger filter	49.00
61SF25P	Plastic finger filter	13.00
61SF25SB	Brass finger filter	49.00
61SF5	Cleanable finger filter	65.00
61SV1/4BR	Pressure selector tee brass	76.00
61SV1/8BR	Pressure selector tee brass	76.00
62SBV100	Ball Valve brass	51.00
62SBV25	Ball Valve brass	27.00
62SBV50	Ball Valve brass	33.00
62SBV75	Ball Valve brass	34.00
62SV21/4M	3-way selector valve	39.00
62SV41/4M	3-way selector valve	80.00
6809020-100	Pressure gauge 0-100 psi	63.00
6809020-160	Pressure gauge 0-160 psi	63.00
6809020-30	Pressure gauge 0-30 psi	63.00

### Actuators (Coils) for PBI Valves

Model No.	Description	Price
61SDD2-120V	2-Way actuator Normally closed 110VAC wire leads	56.00
61SDD2-12VDC	2-Way actuator 12VDC wire leads	36.00
61SDD2-24V	2-Way actuator 24 VAC wire leads	25.00
61SDD2-L	2-Way actuator latching - wire leads	36.00

### Aqua Tive Solenoids



Model No.	Description	Price
61AQTVAC	Aqua Tive Solenoid 24 VAC	88.00
61AQTVAC1	Aqua Tive Solenoid 24 VAC with bracket	115.00
61AQTVDCL	Aqua Tive Solenoid 12 VDC	57.00
61AQTVDCL1	Aqua Tive Solenoid 12 VDC with bracket	83.00
61AQTVDCL2	Aqua Tive Solenoid 12 VDC (2) with bracket	176.00
61AQTVDCL3	Aqua Tive Solenoid 12 VDC (3) with bracket	263.00
61AQTVDCL4	Aqua Tive Solenoid 12 VDC (4) with bracket	319.00

